

yosbo®
法国优仕宝

.... Light your life



DECORATIVE DOWNLIGHT



LED COB: **CREE** ⇨

Part Number	Wattage	Luminosity	Dimension	Hole Size
D3503	9W	900lm	Ø 75x105mm	Ø 85-95mm



LED COB: **CREE** ⇨

Part Number	Wattage	Luminosity	Dimension	Hole Size
D3504	9W	900lm	Ø 75x105mm	Ø 85-95mm



Beam Angle



Correlated Color Temperature (CCT)



Energy Efficient



Eco-friendly



Correct Components



Cost-effective



Long Lifespan



ADJUSTABLE DOWNLIGHT



Energy Efficient



Eco-friendly



Correct
Components



Cost-effective



Long Lifespan


Adjustable Downlight



*cavity height of 85mm is available upon request
(Power = 5W)

Part Number	Wattage	Luminosity	Dimension	Hole size
DA0204-A1304-B(r)	5W	500lm	Ø 95x120 mm	Ø80
DA0204-A1304-B(r)	7W	700lm	Ø 95x120 mm	Ø80
DA0204-A1304-B(r)	9W	900lm	Ø 95x120 mm	Ø80
DA0204-A1304-B(r)	15W	1500lm	Ø 120x140 mm	Ø110

Available Spot Heads:



Part Number	Wattage	Luminosity	Dimension	Hole size
DA0311-A1304	5W	500lm	Ø 72x80 mm	Ø55
DA0411-A1304	7W	700lm	Ø 85x100 mm	Ø75
DA0411-A1304	9W	900lm	Ø 85x100 mm	Ø75



Part Number	Wattage	Luminosity	Dimension
DA0301CXA1304FT13R20	7W	690lm	Ø 72x80 mm
DA0302CXA1304FT13R20	7W	690lm	Ø 72x80 mm
DA0303CXA1304FT13R20	7W	690lm	Ø 72x80 mm
DA0301CXA1304FT14R20	10W	1000lm	Ø 72x80 mm
DA0302CXA1304FT14R20	10W	1000lm	Ø 72x80 mm
DA0303CXA1304FT14R20	10W	1000lm	Ø 72x80 mm



Surface Mounted Downlight Directional Lighting



Part Number	Wattage	Luminosity	Dimension
DD100-C006	8W	700lm	Ø100xH100 mm



Part Number	Wattage	Luminosity	Dimension
DA0306-K006-FT22	6W	590lm	120x120 mm



Part Number	Wattage	Luminosity	Dimension
DA0307-K006-FT13	2*6W	1100lm	227x120 mm

Wall Lamp





WALL WASHER DOWNLIGHT



Energy Efficient



Eco-friendly



Correct
Components



Cost-effective



Long Lifespan

Wallwasher Downlight



Part Number	Wattage	Luminosity	Dimension
DA0309-A1507	7W	690lm	Ø 88x125mm
DA0309-A1507	9W	890lm	Ø 88x125mm

Available Reflector:



Available Heads:



Part Number	Wattage	Luminosity	Dimension	Hole Size
DA0210-A1304	3W	300lm	Ø 40x58 mm	Ø35
DA2510-A1304	3W	300lm	Ø 60x82 mm	Ø55
DA2510-A1304	5W	500lm	Ø 60x82 mm	Ø55
DA0310-A1507	7W	700lm	Ø 75x100 mm	Ø70
DA0310-A1507	9W	900lm	Ø 75x100 mm	Ø70



Part Number	Wattage	Luminosity	Dimension	Hole Size
DA0208-A1304	3W	300lm	Ø 65x70 mm	Ø55
DA2508-A1304	5W	500lm	Ø 70x106 mm	Ø65
DA0308-A1507	7W	700lm	Ø 85x110 mm	Ø75
DA0308-A1507	9W	900lm	Ø 85x110 mm	Ø75
DA0408-A1816	15W	1500lm	Ø 105x120 mm	Ø95

Other available Reflector:



Energy Efficient



Eco-friendly



Correct Components



Cost-effective



Long Lifespan

DOWNLIGHT



Part Number	Wattage	Luminosity	Dimension	Hole Size
D2502B009FT07	3W	220lm	2.5"	Ø 65-80mm
D0302C002FT07	5W	390lm	3"	Ø 75-95mm
D3502A004FT04	6.5W	500lm	3.5"	Ø 90-100mm
D0402B001GX03	11W	900lm	4"	Ø108-120mm
D0602K003GX002	15W	1400lm	6"	Ø155-175mm
D0802C007FT14	19W	1800lm	8"	Ø190-210mm

Other available body:



CEILING LIGHT



Part Number	Wattage	Luminosity	Dimension
C303001E001FT15	15W	1400lm	30x30 cm
C306001E001HT78	16W	1500lm	30x60 cm
C606001E001HT79	24W	2400lm	60x60 cm
C606001E003HT80	32W	3200lm	60x60 cm
C301201H003HT79	24W	2400lm	30x120 cm
C301201H003HT80	32W	3200lm	30x120 cm
C601201H003HT81	50W	5000lm	60x120 cm
C601201H003HT82	65W	6500lm	60x120 cm



Energy Efficient



Eco-friendly



Correct Components



Cost-effective



Long Lifespan

T8 TUBE



Part Number	Wattage	Luminosity	Dimension	Type
T803I02D006FT01	5W	340lm	300mm	Integrated
T806I02C008FT16	10W	800lm	600mm	Integrated
T809I02C009FT16	13W	1200lm	900mm	Integrated
T812I02D001FT16	18W	1800lm	1200mm	Integrated
T803S02D006FT01	5W	340lm	300mm	Replacement tube
T803S02D006FT01	10W	800lm	600mm	Replacement tube
T809S02C009FT16	13W	1200lm	900mm	Replacement tube
T812S02D001FT16	18W	1800lm	1200mm	Replacement tube

*  Integrated  Replacement tube



TRACKING LIGHT



2700K 3000K 4000K



Tracking Light


Part Number	Wattage	Luminosity	Dimension
SP0203-CXA1816-2FT14	20W	2000lm	Ø 95x120 mm

*Other Wattages are available upon request

*Other available color:



Beam Angle



Correlated Color Temperature (CCT)



Energy Efficient



Eco-friendly



Correct Components



Cost-effective



Long Lifespan

HIGH BAY LIGHT



Part Number	Wattage	Luminosity	Dimension
H10030F006HT79-3S001	75W	7400lm	430x400 mm
H20030G001HT80-2S001	100W	10000lm	570x480 mm



FLOOD LIGHT



Part Number	Wattage	Luminosity	Dimension
FL001k001FT14-5	75W	7000lm	285*230*60mm

*Other wattages are available upon request



STREET LIGHT



Part Number	Wattage	Luminosity	Dimension
Sbbsbb252-1FT14-3	30W	3500lm	498*213*66 mm
Sbbsbb252-2FT14-6	70W	6500lm	775*295*80 mm
Sbbsbb253-3FT14-12	110W	12000lm	895*330*140 mm
Sbbsbb253-3FT14-15	150W	16000lm	895*330*140 mm



Energy Efficient



Eco-friendly



Correct Components



Cost-effective



Long Lifespan



info@yosbo-light.com

+86 0769-86322033

Add: 东莞市东城区榴花东街新围工业区48号
No.48, New Wei Industrial, Liuhua East Street,
Dongcheng District, Dongguan City,
Guangdong Province, China.

www.yosbo-light.com